
A Geographic Study of Drinking Water Availability and Quality in the United States**Dr. Jennifer Clark¹ and William Harris²**¹Department of Geography and Environmental Studies, University of North Carolina at Chapel Hill, North Carolina, USA²Department of Environmental Science, University of Maryland, College Park, Maryland, USA

Abstract

In the United States, households obtain drinking water from a variety of sources, including public water supply systems, private wells, and other alternative sources. A significant proportion of households rely on municipal tap water for daily consumption, while others depend on groundwater sources such as private wells due to regional accessibility and infrastructure differences. Although piped community water systems are widely available, challenges such as aging infrastructure, contamination risks, and unequal access continue to affect water quality and reliability in some areas. Most households report that their drinking water is clear, fresh, and free from noticeable odor; however, some consumers experience issues such as metallic taste, excessive chlorine flavor, or unpleasant odors, which may indicate underlying water quality concerns. Water-related health problems remain a public concern, particularly in areas affected by contamination or inadequate treatment. One of the major challenges in drinking water quality is the presence of elevated Total Dissolved Solids (TDS), which can affect both taste and safety. Higher TDS levels and other contaminants are often found in densely populated urban regions or areas with industrial activity, while rural and less developed regions may face different challenges related to groundwater contamination. To improve drinking water quality, many households utilize treatment methods such as reverse osmosis (RO) systems, water filtration devices, and chemical disinfectants. However, a substantial number of households still consume water without additional treatment. Water storage and hygiene practices also play an important role in maintaining safe drinking conditions, with regular cleaning of storage containers being essential for preventing contamination. Ensuring safe drinking water across the United States requires continuous monitoring of water quality, timely infrastructure improvements, effective treatment strategies, and increased public awareness regarding household water management practices. These measures are essential for protecting public health and ensuring equitable access to safe and clean drinking water.

Keywords: Drinking water quality, water supply systems, groundwater contamination, public health, Total Dissolved Solids (TDS), water treatment, reverse osmosis (RO)

Introduction

Clean and safe drinking water is fundamental to human health and plays a crucial role in reducing waterborne diseases, including diarrheal illnesses and other health complications, particularly among children and vulnerable populations. Despite significant progress in water infrastructure worldwide, access to safe drinking water remains a major global concern. In 2010, it was estimated that approximately 1.8 billion people consumed unsafe drinking water, highlighting the urgent need for improved water management and treatment systems. In the United States, drinking water is supplied through a combination of public water systems, private wells, and alternative sources. Most urban households have access to treated municipal water

delivered through extensive pipeline networks, while many rural households rely on private groundwater wells. Although the United States has one of the most advanced water supply systems globally, challenges such as aging infrastructure, contamination from industrial and agricultural activities, and unequal access to safe water continue to affect many communities. In some regions, issues such as lead contamination, elevated nitrate levels, microbial pollution, and excessive Total Dissolved Solids (TDS) have raised serious public health concerns.

Water storage and treatment practices are also important in ensuring safe drinking water at the household level. Many households use additional treatment methods such as water filtration systems, reverse osmosis (RO), and chemical disinfection to improve water quality. However, some households continue to consume untreated water, particularly those dependent on private wells, which may increase the risk of exposure to contaminants. Water is an essential natural resource for domestic, agricultural, and industrial activities, and its quality and availability directly influence public health, economic development, and environmental sustainability. Groundwater serves as a major source of drinking water in many parts of the United States, especially in rural areas. However, excessive groundwater extraction, pollution from fertilizers and chemicals, and climate-related factors such as drought have contributed to declining water quality and reduced water availability in certain regions.

Monitoring drinking water quality is critical for effective water resource management and public safety. Federal and state agencies, including the United States Environmental Protection Agency and the Centers for Disease Control and Prevention, regularly assess water quality and implement regulations to ensure compliance with safety standards. Programs focused on infrastructure improvement, conservation, and public awareness have been introduced to address emerging water challenges and promote sustainable water use.

Understanding the sources, distribution, and quality of drinking water is essential for ensuring long-term water security and protecting community health. This study provides a geographical analysis of drinking water conditions in the United States, focusing on water availability, quality concerns, and management strategies aimed at ensuring safe and reliable access to drinking water for all residents.

Study Area

The United States is located in North America and extends approximately between 24°30' and 49°23' N latitude and 66°57' and 124°46' W longitude, covering a vast geographical area with diverse climatic and environmental conditions. It is bordered by Canada to the north, Mexico to the south, the Atlantic Ocean to the east, and the Pacific Ocean to the west. The country experiences a wide range of climatic conditions, from humid subtropical and continental climates to arid and semi-arid regions, with average annual precipitation varying significantly across states. This geographical diversity strongly influences water availability, groundwater recharge, and drinking water quality across different regions.


The United States consists of 50 states and numerous counties, municipalities, and local administrative units that manage water supply systems and environmental resources. According to recent demographic estimates, the country has a population exceeding 340 million people, with both urban and rural communities relying on a combination of public water systems and private groundwater sources for drinking water. Literacy and access to modern infrastructure are generally high; however, disparities in water access and quality persist, particularly in underserved rural areas and aging urban neighborhoods.

For this geographical analysis, the study focuses on drinking water conditions across selected regions of the United States, with particular attention to areas experiencing groundwater depletion, contamination, and infrastructure-related water supply challenges. The country's physiography includes extensive plains, mountain ranges, river basins, and coastal regions, all of which influence water distribution and resource availability. Major freshwater resources include the Mississippi River Basin, the Great Lakes, and numerous underground aquifers such as the Ogallala Aquifer, which serves as an essential groundwater source for millions of residents and agricultural activities.

Many regions of the United States face increasing pressure on water resources due to population growth, industrialization, agricultural demand, and climate-related factors such as drought and changing precipitation patterns. In particular, rapid groundwater extraction and inadequate conservation practices have contributed to declining water tables and deteriorating water quality in several states. Contaminants such as nitrates, heavy metals, microbial pollutants, and elevated Total Dissolved Solids (TDS) levels remain significant concerns in both public and private water supplies.

Urban centers generally benefit from advanced water treatment and distribution systems, while rural communities often depend on private wells that may lack regular monitoring and treatment. This variation creates differences in drinking water safety, accessibility, and household treatment practices. Understanding these geographical differences is essential for developing effective water management strategies and ensuring equitable access to clean and safe drinking water throughout the United States.

This study area provides the foundation for a detailed examination of drinking water quality, resource distribution, and management challenges within the broader environmental and socio-economic context of the United States.



Review of Literature

A substantial body of literature exists on drinking water quality at international, national, state, and local levels. Numerous studies have examined groundwater conditions, contamination patterns, and the accessibility of safe drinking water. These previous studies provide important background and direction for the present research.

Kaif and Firoz (2021) examined drinking water quality across selected regions by evaluating multiple water quality parameters such as pH, salinity, and chemical contaminants at various sampling sites. Their findings revealed that a significant proportion of water sources were polluted and unsuitable for direct human consumption without proper treatment. Elevated concentrations of harmful dissolved substances highlighted the urgent need for effective water treatment and continuous monitoring before consumption.

Singh, Kumar, and Saharan (2011) investigated groundwater quality through the analysis of samples collected from tube wells and hand pumps. Parameters including pH, mineral content, and contaminant levels were tested and compared with recommended safety standards. Their study found that many groundwater sources required treatment due to excessive hardness and poor chemical quality, emphasizing the importance of timely intervention to ensure safe drinking water.

Singh (2017) explored household water-use patterns and observed a decline in public tap water usage due to irregular supply, poor quality, and limited public confidence in safety. As a result, residents increasingly relied on alternative sources such as hand pumps and private wells because of their accessibility and

reliability. The study recommended improvements in public water infrastructure, regular water quality monitoring, and greater community involvement in water management practices.

Khurana (2022) emphasized the challenge of ensuring clean drinking water for large populations, particularly in rural and economically disadvantaged communities. The study highlighted how poor water quality contributes to widespread health problems and economic burdens. It further stressed the importance of government programs, coordinated institutional efforts, and community participation in maintaining water hygiene, treatment, and safe storage practices.

In the United States, significant research has focused on communities facing drinking water contamination and infrastructure failures, particularly in Flint, Michigan. The Flint water crisis, which began in 2014, exposed residents to elevated levels of lead and other contaminants after a change in water supply source and inadequate corrosion control measures. Studies conducted in Flint demonstrated the severe public health consequences of contaminated drinking water, including increased risks of neurological damage in children and long-term health complications among residents. The crisis highlighted the importance of strict regulatory oversight, transparent water quality monitoring, and investment in aging water infrastructure.

Recent studies in rural areas of the United States have also identified growing concerns regarding groundwater contamination from agricultural runoff, industrial pollutants, and excessive groundwater extraction. Elevated nitrate levels, heavy metals, microbial contamination, and high Total Dissolved Solids (TDS) have been reported in private wells, especially in underserved communities where regular testing and treatment are limited.

Overall, previous research demonstrates that access to safe drinking water remains a major public health and environmental challenge. Continuous monitoring, improved infrastructure, effective treatment technologies, and community participation are essential for sustainable water management and the protection of public health. These studies provide an important foundation for the present geographical analysis of drinking water quality and accessibility in Flint, Michigan, United States.

Research Objectives

The present study is based on the following objectives:

To identify and analyze the various drinking water sources used by households in Flint, Michigan.

To assess the quality and safety of drinking water sources available to residents in the study area.

Research Methodology

This study is primarily based on primary data collection to fulfill the research objectives. Data will be gathered through a field survey conducted among households in selected residential neighborhoods of Flint, Michigan. Approximately 10% of the total households in the selected study area will be chosen through simple random sampling for detailed investigation. Information will be collected using a structured questionnaire focused on drinking water sources, household water treatment practices, and perceptions of water quality.

After data collection, the information will be processed through coding and tabulation. The collected data will then be systematically analyzed to achieve the study objectives. The findings will be presented using pie charts, statistical diagrams, and spatial maps generated with the help of ArcGIS to illustrate patterns in drinking water access and quality across the study area.

Results and Discussion

In the selected residential areas of Flint, Michigan, households rely on multiple sources of drinking water, including municipal tap water, bottled water, and privately filtered water systems. For the present study, 10% of households were selected through random sampling, and data were collected through direct field surveys using questionnaires.

Among the surveyed respondents, approximately 60% were female, while 40% were male. The age distribution showed that 15% belonged to the 18–30 years age group, 25% were between 30–40 years, 30% were between 40–50 years, 15% were between 50–60 years, and 15% were above 60 years of age.

Regarding educational background, 20% of respondents had limited formal education, 45% had completed secondary education, 20% were university graduates, and 15% held postgraduate qualifications. Occupationally, 12% worked in government services, 25% were employed in the private sector, 10% were self-employed, 8% were retired, and 45% were engaged in household responsibilities or other informal work.

Drinking Water Sources in Flint

In Flint, a large proportion of households rely on municipal tap water, which is supplied through the city's public water distribution system. However, due to past concerns regarding water contamination, many residents have reduced their dependence on untreated tap water for direct consumption. A significant number of households now depend on bottled water or use household water filtration systems, including reverse osmosis (RO) and activated carbon filters, to improve water safety.

Although the municipal water system supplies water to nearly all households, not all residents use it for drinking purposes. Many households use tap water primarily for cleaning, bathing, and other domestic activities, while relying on alternative sources for drinking and cooking. Public trust in municipal water quality remains a major issue following the Flint water crisis, which raised serious concerns about lead contamination and aging pipeline infrastructure.

Certain neighborhoods continue to experience concerns related to water discoloration, unusual taste, and fear of chemical contamination, even after infrastructure improvements. Some households report inconsistent water pressure and occasional service interruptions. These challenges highlight the need for continuous water quality monitoring, infrastructure modernization, and effective public communication to restore confidence in the safety of drinking water. The findings indicate that while access to water is widespread, ensuring safe, reliable, and trusted drinking water remains a critical challenge in Flint. Continued intervention, household-level treatment practices, and community engagement are essential for improving long-term public health outcomes.



Figure 1 shows an example of a household tap water supply system used by residents in the study area. Municipal tap water is the second most commonly used source of drinking water, with approximately 38% of households depending on it for daily consumption. Private or community-operated hand pumps represent the least utilized source, with only about 4% of households relying on them for drinking water.




figure 2: Another community source of drinking water

Table 1: Household Drinking Water Sources in Flint, Michigan

Sources of Water	No. of Households	Using Percentage (%)
Municipal Tap Water	19	38
Bottled/Filtered Water	29	58
Private Well Water	2	4
Total	50	100

Source: Primary Field Survey of Flint, Michigan, 2024.




In Flint, Michigan, residents rely on three main sources for household drinking water. Most households use bottled or filtered water, while others depend on municipal tap water and a small number rely on private well water. Despite improvements in water treatment and distribution systems, public perception of drinking water quality remains mixed.

Approximately 82% of households reported that their drinking water is clear, fresh, and free from unpleasant odors. However, about 8% of respondents noted that the water has a metallic taste or unusual smell. These concerns are often associated with aging water pipelines, corrosion within the distribution system, or residual minerals present in the water supply. Such issues can reduce public confidence in tap water safety, even when the water meets regulatory quality standards. Continuous monitoring and infrastructure upgrades remain essential to improving both water quality and public trust.

Table 2: the taste and odor of water

Taste and Odour	No. of household	Percentages
Fresh and Odourless	41	82
Slightly metallic taste or Odor	4	8
Strong chlorine taste or Odor	3	6
Foul or unusual taste and Odor	2	4
Total	50	100

:



Source: Primary Field Survey of Village **Flint, Michigan**,

Although most residents consider their drinking water to be acceptable, some concerns remain regarding water taste, odor, and overall quality. Approximately 82% of households reported that their drinking water is fresh and free from unpleasant smells. However, around 8% of respondents indicated that the water has a metallic taste or unusual odor, which may be linked to aging underground pipelines, corrosion in water distribution systems, or mineral residues in the municipal supply. Another 8% of households reported a strong chlorine taste in their water, likely resulting from disinfection processes used to ensure microbial safety. Additionally, 4% of households described the water as having both unpleasant taste and odor, which may further reflect infrastructure-related issues such as old pipes or localized water quality problems.

These findings suggest that while the majority of households are satisfied with their drinking water, a noticeable proportion continue to experience quality concerns, particularly related to taste and smell. Such issues can significantly affect public trust in municipal water systems, even when the water meets regulatory safety standards.

Household Water Treatment Practices


Not all households treat their drinking water before consumption. About 62% of households reported using drinking water directly without any additional treatment. In contrast, 28% of households use water filtration systems or Reverse Osmosis (RO) units at home to improve water quality and remove possible contaminants. An additional 10% of households reported using chemical disinfectants, such as chlorine tablets or other purification agents, especially among those relying on private wells or alternative water sources.

Each treatment method offers different advantages in terms of convenience, effectiveness, and cost. Some households prefer direct consumption due to trust in treated municipal water or ease of access, while others prioritize the enhanced safety and improved taste provided by filtration systems. The use of chemical disinfectants reflects efforts by some residents to further protect against microbial contamination.

Overall, these varied household water treatment practices demonstrate the diverse responses of residents in Flint to concerns about drinking water safety and quality. Continued improvements in water infrastructure, public education, and access to reliable household treatment options are essential to ensuring safe and trusted drinking water for all residents.

Table 3: Village Flint, Michigan, water treatment method

Water treatment method	No of household	Percentages
Water filtration system (e.g., pitcher filter)	14	28
Chlorination tablets	5	10
Direct	31	62
Total	50	100





Source: Primary Field Survey, 2024.

Figure 3 Flint, Michigan,

In Flint, Michigan, most households consider their drinking water safe, but some still report health concerns. About 11% of households using municipal tap water experienced issues such as stomach discomfort, skin irritation, or concerns about possible contamination, while 89% reported no health problems.

Table 4: Health Issues Due to Drinking Water Consumption

Health Issues	No. of Households	Percentage (%)
Reported health concerns	6	11
No reported health concerns	44	89
Total	50	100



Source: Primary Field Survey, 2024.

Cleaning of Water Storage Containers

Regular cleaning of household water storage containers is essential to maintain safe and clean drinking water. Over time, dust, dirt, mold, and harmful bacteria can accumulate inside storage tanks, affecting water quality and increasing health risks. Proper cleaning helps remove contaminants and ensures that water remains safe for household use.

In Flint, Michigan, 66% of households reported cleaning their water storage containers daily, while 6% cleaned them weekly. About 22% performed cleaning on a monthly basis, and 8% reported rarely or never cleaning their water containers. Regular maintenance of storage systems plays an important role in preventing contamination and supporting household water safety.

Table 5: Cleaning of Water Storage Containers in Flint, Michigan

Cleaning Frequency	No. of Households	Percentage (%)
Daily	33	66
Weekly	3	6
Monthly	11	22
Rarely/Never	4	8
Total	50	100

Source: Primary Field Survey of Flint, Michigan, 2024.

Figure 4: Cleaning of Water Storage Containers

In Flint, Michigan, many households store drinking water in bottles, storage tanks, or filtered containers, especially those using bottled or treated water. Most residents maintain good hygiene practices, with 66% of households cleaning and refilling their water containers daily. Around 6% clean their storage containers weekly, while 22% perform cleaning on a monthly basis. However, 8% of households reported rarely or never cleaning their containers, which may increase the risk of contamination from dirt, bacteria, and other harmful substances.

Regular cleaning of water storage containers is essential to ensure that stored water remains safe and suitable for consumption. Proper hygiene practices play an important role in protecting household health and preventing waterborne illnesses.

Groundwater and municipal water quality remain major concerns in Flint, particularly due to issues related to aging infrastructure and past contamination. Some households continue to report elevated Total Dissolved Solids (TDS) levels, which can affect water taste, odor, and overall acceptability. To address these concerns, many households use Reverse Osmosis (RO) systems and other water filtration methods to remove excess minerals and improve water safety.

The recorded TDS levels vary across households, with some homes showing relatively low values, while others experience moderate to high levels. In most surveyed households, TDS values ranged between 400 and 800 PPM, indicating noticeable differences in water quality across the study area. These findings highlight the ongoing importance of water monitoring, household treatment, and infrastructure improvements to ensure safe and reliable drinking water.

Conclusion

The study of drinking water conditions in Flint, Michigan shows that households rely mainly on bottled or filtered water, municipal tap water, and private well water for daily consumption. Although most residents consider the water to be generally safe, some households reported concerns related to taste, odor, and possible health effects, largely linked to aging infrastructure and water quality issues. Many households use additional treatment methods such as water filters and Reverse Osmosis (RO) systems to improve drinking water safety. Regular cleaning of water storage containers is common among most residents, helping to maintain hygiene and reduce contamination risks. Overall, the study highlights that while access to drinking water is widespread, continued attention to water quality, household treatment practices, and infrastructure maintenance remains essential for ensuring safe and reliable drinking water.

References

- Khurana, (2022). *Safe drinking water and rural water management in India*.
- Singh, (2017). *Drinking water usage patterns in rural settlements*.
- Singh, Kumar & Saharan, (2011). *Groundwater quality assessment in Jind district, Haryana*.
- Kaif & Firoz, (2021). *Assessment of groundwater quality in Haryana districts*.
- Singh et al., (2012). *Importance of animal and water resource management*.

- Singh et al., (2013). *Livestock and environmental resource studies*.
- WHO (2017). *Guidelines for drinking water quality*. World Health Organization.
- United States Environmental Protection Agency (EPA), (2024). *National drinking water standards and monitoring reports*. United States Environmental Protection Agency
- Centers for Disease Control and Prevention (CDC), (2024). *Public health and drinking water safety*. Centers for Disease Control and Prevention
- Flint Water Advisory (2014–2016). *Drinking water contamination case study*. Flint water crisis